

WIRELINING DRAWING

Twentyshilling Hill

120 130 140 150 160 170 180 190 200

WIRELINING DRAWING


Whiteside Hill

Sanquhar

Sanquhar II

210 220 230 240 250 260 270 280 290

Date October 2020	By RF
Image Size 820 x 130mm	QA DT
Paper Size 840 x 297mm	Rev -
EUC1-additional-wires.indd	



Notes:
 1) This visualisation is a cylindrical projection panorama; it provides landscape and visual context only.
 2) This data has been output directly from the wireline model; it ignores screening effects of woodland and other intervening objects.
 3) All directions given as bearings relative to Grid North (BNG).
 4) Location map scale: 1:25,000

Contains Ordnance Survey data © Crown copyright and database right 2020
 © Crown copyright. All rights reserved. 2020 Licence number: 10002565

Viewpoint Information:
 Grid Reference: 273664E 607324N
 Ground Height: 286.9m AOD
 Direction of Centre of Views: * 160° / 250°
 Horizontal Field of View: 90°
 Vertical Field of View: 14.2°
 Principal Distance: 522mm

Layout Information:
 Layout: euchanhead.wfl
 Hub Height: 155m
 Height to Blade Tip: 230m
 Nearest Visible Turbine: T3 @ 6506m
 Number of Sets of Tips Visible: * 2
 Number of Hubs Visible: * 3

Wireline Key:

	Euchanhead Renewable Energy Development
	Operational
	Consented
	Proposal (each proposal is coloured individually)
	Turbine Nacelle / Tower Lights

Lighting Key:


nacelle light:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	
tower light:			*	*																		
	* Light visible																					




Euchanhead Renewable Energy Development

Euchan Water Valley
ADDITIONAL WIRELINING

WIRELINER DRAWING



WIRELINER DRAWING



Date October 2020	By RF
Image Size 820 x 130mm	QA DT
Paper Size 840 x 297mm	Rev -
EUC1-additional-wires.indd	

Notes:
 1) This visualisation is a cylindrical projection panorama; it provides landscape and visual context only.
 2) This data has been output directly from the wireline model; it ignores screening effects of woodland and other intervening objects.
 3) All directions given as bearings relative to Grid North (BNG).
 4) Location map scale: 1:25,000

Contains Ordnance Survey data © Crown copyright and database right 2020
 © Crown copyright. All rights reserved. 2020 Licence number: 10002565

Viewpoint Information:
 Grid Reference: 277801E 590624N
 Ground Height: 104m AOD
 Direction of Centre of Views: * 305° / 35°
 Horizontal Field of View: 90°
 Vertical Field of View: 14.2°
 Principal Distance: 522mm

Layout Information:
 Layout: euchanhead.wfl
 Hub Height: 155m
 Height to Blade Tip: 230m
 Nearest Visible Turbine: T20 @ 11585m
 Number of Sets of Tips Visible: * 2
 Number of Hubs Visible: * 1

Wireline Key:

- Euchanhead Renewable Energy Development
- Operational
- Consented
- Proposal (each proposal is coloured individually)
- Turbine Nacelle / Tower Lights

Lighting Key:

nacelle light:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	
tower light:																						


Light visible




Euchanhead Renewable Energy Development

Moniaive
ADDITIONAL WIRELINER

WIRES



WIRES



Date	By
October 2020	RF
Image Size	QA
820 x 130mm	DT
Paper Size	Rev
840 x 297mm	-
EUC1-additional-wires.indd	



Notes:

- 1) This visualisation is a cylindrical projection panorama; it provides landscape and visual context only.
- 2) This data has been output directly from the wireline model; it ignores screening effects of woodland and other intervening objects.
- 3) All directions given as bearings relative to Grid North (BNG).
- 4) Location map scale: 1:25,000

Contains Ordnance Survey data © Crown copyright and database right 2020
© Crown copyright. All rights reserved. 2020 Licence number: 10002565

Viewpoint Information:

Grid Reference: 281375E 592523N
 Ground Height: 108.1m AOD
 Direction of Centre of Views: * 245° / 335°
 Horizontal Field of View: 90°
 Vertical Field of View: 14.2°
 Principal Distance: 522mm

Layout Information:

Layout: euchanhead.wfl
 Hub Height: 155m
 Height to Blade Tip: 230m
 Nearest Visible Turbine: T21 @ 12269m
 Number of Sets of Tips Visible: * 2
 Number of Hubs Visible: * 7

Wireline Key:

	Euchanhead Renewable Energy Development
	Operational
	Consented
	Proposal (each proposal is coloured individually)
	Turbine Nacelle / Tower Lights

Lighting Key:

nacelle light:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	
tower light:																					*	*


Light visible




Euchanhead Renewable Energy Development

Milton, Tynron
ADDITIONAL WIRELINE

WIRELINE DRAWING



WIRELINE DRAWING



Date	October 2020	By	RF
Image Size	820 x 130mm	QA	DT
Paper Size	840 x 297mm	Rev	-
EUC1-additional-wires.indd			



Notes:
 1) This visualisation is a cylindrical projection panorama; it provides landscape and visual context only.
 2) This data has been output directly from the wireline model; it ignores screening effects of woodland and other intervening objects.
 3) All directions given as bearings relative to Grid North (BNG).
 4) Location map scale: 1:25,000

Contains Ordnance Survey data © Crown copyright and database right 2020
 © Crown copyright. All rights reserved. 2020 Licence number: 10002565

Viewpoint Information:
 Grid Reference: 263726E 592100N
 Ground Height: 228.1m AOD
 Direction of Centre of Views: * 18° / 108°
 Horizontal Field of View: 90°
 Vertical Field of View: 14.2°
 Principal Distance: 522mm

Layout Information:
 Layout: euchanhead.wfl
 Hub Height: 155m
 Height to Blade Tip: 230m
 Nearest Visible Turbine: T11 @ 10326m
 Number of Sets of Tips Visible: * 6
 Number of Hubs Visible: * 11

Wireline Key:

- Euchanhead Renewable Energy Development
- Operational
- Consented
- Proposal (each proposal is coloured individually)
- Turbine Nacelle / Tower Lights

Lighting Key:

nacelle light:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	
tower light:						*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*


* Light visible



Euchanhead Renewable Energy Development
 Stroanfreggan Crag / Fort
ADDITIONAL WIRELINE


WIRELINER DRAWING

Glenshimmeroch (2020)




WIRELINER DRAWING

Shepherds Rig



Date October 2020	By RF
Image Size 820 x 130mm	QA DT
Paper Size 840 x 297mm	Rev -
EUC1-additional-wires.indd	



Notes:
 1) This visualisation is a cylindrical projection panorama; it provides landscape and visual context only.
 2) This data has been output directly from the wireline model; it ignores screening effects of woodland and other intervening objects.
 3) All directions given as bearings relative to Grid North (BNG).
 4) Location map scale: 1:25,000

Contains Ordnance Survey data © Crown copyright and database right 2020
 © Crown copyright. All rights reserved. 2020 Licence number: 10002565

Viewpoint Information:
 Grid Reference: 263726E 592100N
 Ground Height: 228.1m AOD
 Direction of Centre of Views: * 198° / 288°
 Horizontal Field of View: 90°
 Vertical Field of View: 14.2°
 Principal Distance: 522mm

Layout Information:
 Layout: euchanhead.wfl
 Hub Height: 155m
 Height to Blade Tip: 230m
 Nearest Visible Turbine: T11 @ 10326m
 Number of Sets of Tips Visible: * 6
 Number of Hubs Visible: * 11

Wireline Key:

	Euchanhead Renewable Energy Development
	Operational
	Consented
	Proposal (each proposal is coloured individually)
	Turbine Nacelle / Tower Lights

Lighting Key:

nacelle light:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	
tower light:						*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*


* Light visible




Euchanhead Renewable Energy Development
 Stronfreggan Crag / Fort
ADDITIONAL WIRELINER

WIRELINING DRAWING

WIRELINING DRAWING



Date	October 2020	By	RF
Image Size	820 x 130mm	QA	DT
Paper Size	840 x 297mm	Rev	-
EUC1-additional-wires.indd			



Notes:
 1) This visualisation is a cylindrical projection panorama; it provides landscape and visual context only.
 2) This data has been output directly from the wireline model; it ignores screening effects of woodland and other intervening objects.
 3) All directions given as bearings relative to Grid North (BNG).
 4) Location map scale: 1:25,000

Contains Ordnance Survey data © Crown copyright and database right 2020
 © Crown copyright. All rights reserved. 2020 Licence number: 10002565

Viewpoint Information:
 Grid Reference: 289800E 592000N
 Ground Height: 69.6m AOD
 Direction of Centre of Views: * 225° / 315°
 Horizontal Field of View: 90°
 Vertical Field of View: 14.2°
 Principal Distance: 522mm

Layout Information:
 Layout: euchanhead.wfl
 Hub Height: 155m
 Height to Blade Tip: 230m
 Nearest Visible Turbine: T21 @ 20092m
 Number of Sets of Tips Visible: * 7
 Number of Hubs Visible: * 18

Wireline Key:

	Euchanhead Renewable Energy Development
	Operational
	Consented
	Proposal (each proposal is coloured individually)
	Turbine Nacelle / Tower Lights

Lighting Key:


nacelle light:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	
tower light:								*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

* - Light visible




Euchanhead Renewable Energy Development
 Closeburn approach, A76
ADDITIONAL WIRELINING

WIRELINING DRAWING



WIRELINING DRAWING



Date October 2020	By RF
Image Size 820 x 130mm	QA DT
Paper Size 840 x 297mm	Rev -
EUC1-additional-wires.indd	

Notes:
 1) This visualisation is a cylindrical projection panorama; it provides landscape and visual context only.
 2) This data has been output directly from the wireline model; it ignores screening effects of woodland and other intervening objects.
 3) All directions given as bearings relative to Grid North (BNG).
 4) Location map scale: 1:25,000

Viewpoint Information:
 Grid Reference: 242760E 585555N
 Ground Height: 843.7m AOD
 Direction of Centre of Views: 30° / 120°
 Horizontal Field of View: 90°
 Vertical Field of View: 14.2°
 Principal Distance: 522mm

Layout Information:
 Layout: euchanhead.wfl
 Hub Height: 155m
 Height to Blade Tip: 230m
 Nearest Visible Turbine: T9 @ 28966m
 Number of Sets of Tips Visible: 2
 Number of Hubs Visible: 21

Wireline Key:

 Euchanhead Renewable Energy Development
 Operational
 Consented
 Proposal (each proposal is coloured individually)
 Turbine Nacelle / Tower Lights

Lighting Key:

nacelle light:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	
tower light:	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

* Light visible



Euchanhead Renewable Energy Development
 Merrick
ADDITIONAL WIRELINING